



AN INTRODUCTION TO WEB PROGRAMMING

Dr. Hossein Hakimzadeh

Department of Computer and Information Sciences
Indiana University
South Bend, IN



css
A

CONTENTS

- A bit of history
- Inline vs. Embedded vs. External Style Sheets
- Conflicting Styles (C in CSS stands for Cascading)
- Text: (font, size, shadow, color, etc.)
- Borders and Boxes: (Rounded corners, shadow, Color, Linear and Radial Gradients)
- Image (borders, opacity, transition, etc.)
- Multiple column layout
- Positioning (Absolute, z-index, Relative, span)
- Background
- Box model and flow of elements

HISTORY

- CSS was developed by a World Wide Web Consortium (W3C) team headed by Bert Bos and Håkon Lie.
- The goal was to develop a styling language that could be integrated with HTML and complement its structuring capabilities with styling rules.
- **CSS1** was released in 1996 and includes basic styling functions such as font, color, and background images. By that time many browsers had already implemented many style capabilities into their HTML parsers, but they started to adopt the new CSS standard.
- **CSS2** was released in 1998, and it added some advanced features to CSS. (e.g., absolute and relative positioning of elements on the page, z-index (i.e., layering) and allowing pages to be formatted for printing. Additional font properties (e.g., shadow, etc) Reducing the need for tables as a page layout tool.
- **CSS3** standard was published in 1999, however as of this writing, it is not a completed standard yet.
- Some of the most important CSS3 modules are:
 - Selectors
 - Box Model
 - Backgrounds and Borders
 - Text Effects
 - 2D/3D Transformations
 - Animations
 - Multiple Column Layout
 - User Interface

http://www.w3schools.com/css3/css3_intro.asp

http://en.wikipedia.org/wiki/Cascading_Style_Sheets

CSS

- CSS stands for Cascading Style Sheets.
- CSS is used to control the “style and layout” or our web documents.
- **Style information can be defined:**
 1. **Inline:** As attributes of a tag
 2. **Embedded:** As part of the a HTML document. Within `<style> ... </style>` tags and inside the `<head>` tag.
 3. **External CSS File:** In a separate file which can be loaded (linked to) within the HTML document.

EXAMPLE OF STYLE SHEETS

Bachelor of Science in Informatics

Home Courses Advising Faculty

Information technology (IT) is rapidly changing the world, creating new challenges and opportunities every day. Informatics equips students to study IT, consider its social impact, and find ways to use technology to solve problems. The aim is to produce qualified information technology professionals who understand the ways people work with and use information, and who can develop solutions that are effective and easy-to-use. Usually, informatics is combined with another field of study or cognate. A number of cognates have been identified, such as bioinformatics, social informatics, business, new media, and health care informatics.

The degree requires a total of 120 credit hours including the following:

FUNDAMENTAL LITERACIES

1. ENG-W 131 English Composition (3 cr.) A grade of C or better is required.
2. Critical Thinking (3 cr.) e.g., PHIL-P 105, P 110, P 150, or P 250
3. Oral Communication (3 cr.) SPCH-S 121
4. Visual Literacy (3 cr.) e.g., INFO-I310, FINA A109, JOUR J210
5. Quantitative Reasoning (3 cr.) Satisfied by required Mathematics courses
6. COAS-Q 110 Information Literacy (1 cr.) Should be taken with ENG W131
7. Computer Literacy (3 cr.) Satisfied by required Computer Science courses

COMMON CORE (12 Credits). At least one of the following must be at the 300 level.

1. The Natural World (3 cr.) e.g., N190 or N390
2. Human Behavior & Social Institutions (3 cr.) e.g., B190 or B399
3. Literary and Intellectual Traditions (3 cr.) e.g., T190 or T390
4. Art, Aesthetics and Creativity (3 cr.) e.g., A190 or A399

CONTEMPORARY SOCIAL VALUES (8 Credits)

1. Non-Western Cultures (3 cr.) e.g., ANTH E105, POLS Y109
2. Diversity in U.S. Society (3 cr.) e.g., SOC S161, HIST H105 or H106
3. Health and Wellness (2 cr.) e.g., HPER N220, NURS B109 plus HPER-E 100-level

LANGUAGE STUDIES (6 Credits)

Two semesters in a single language, or equivalent.

PHYSICAL & LIFE SCIENCES (13 Credits). Courses in at least two different sciences must be taken.

http://www.cs.kusb.edu/Informatics_courses.html

Bachelor of Science in Informatics

Home Courses Advising Faculty

Information technology (IT) is rapidly changing the world, creating new challenges and opportunities every day. Informatics equips students to study IT, consider its social impact, and find ways to use technology to solve problems. The aim is to produce qualified information technology professionals who understand the ways people work with and use information, and who can develop solutions that are effective and easy-to-use. Usually, informatics is combined with another field of study or cognate. A number of cognates have been identified, such as bioinformatics, social informatics, business, new media, and health care informatics.

The degree requires a total of 120 credit hours including the following:

FUNDAMENTAL LITERACIES

1. ENG-W 131 English Composition (3 cr.) A grade of C or better is required.
2. Critical Thinking (3 cr.) e.g., PHIL-P 105, P 110, P 150, or P 250
3. Oral Communication (3 cr.) SPCH-S 121
4. Visual Literacy (3 cr.) e.g., INFO-I310, FINA A109, JOUR J210
5. Quantitative Reasoning (3 cr.) Satisfied by required Mathematics courses
6. COAS-Q 110 Information Literacy (1 cr.) Should be taken with ENG W131
7. Computer Literacy (3 cr.) Satisfied by required Computer Science courses

COMMON CORE (12 Credits). At least one of the following must be at the 300 level.

http://www.cs.kusb.edu/Informatics_courses.html

INLINE STYLE (EXAMPLE)

- When creating a tag, we can include some **inline** style information by simply using the “**style**” attribute and then list a few style information for the tag.

Example:

```
<p style='font-size:20pt '>  
    this is a test  
</p>
```

EMBEDDED STYLE (EXAMPLE)

- Embedded style information can be placed in the <HEAD> section of a HTML document.
- Embedded style information should be inside the <style>.....</style> tags.
- In the example, we are creating a new “Style sheet” which can be applied to an existing HTML document.
- We are setting the background of the body to light-blue.
- Any header1 elements (H1) will be centered and displayed in red.
- Any paragraph elements (P) will be displayed using “Times Roman” font.

Example:

```
<style>
```

```
body  
{  
    background-color:lightblue;  
}
```

```
h1  
{  
    color:red;  
    text-align:center;  
}
```

```
p  
{  
    font-family:"Times New Roman";  
    font-size:20px;  
}
```

```
</style>
```

ADDING THE STYLE SHEET TO OUR WEB PAGE

Example:

```
<!DOCTYPE html>
<html>
<head>
.....
</head>
<body>
    <center>
        <h1>CSCI-A340 Introduction to Web Programming</h1>
    </center>

    <p>P: CSCI-A 201 or CSCI-C 101 or INFO-I210. An introduction to
       programming web documents, including HTML, JavaScript, and PHP.
       Creation of a simple website, including a home page with dynamic
       elements, using both client-side and server-side techniques.</p>

</body>
</html>
```

```
<style>
    body
    {
        background-color:lightblue;
    }


    h1
    {
        color:red;
        text-align:center;
    }

    p
    {
        font-family:"Times New Roman";
        font-size:20px;
    }
</style>
```

EXTERNAL CSS (EXAMPLE)

- External style sheet should be stored in a file with the extension of *.CSS
- External CSS are included in the HTML document by placing a `<link>` to the file in the `<head>` tag of the document.
- The `rel` attribute specifies the relationship of the link.
- The `type` attribute specifies the document's MIME type as "text/css"
- Finally the `href` attribute specifies the URL of the style sheet.

```
<!DOCTYPE html>
<html>
<head>
<link rel="stylesheet" type="text/css" href="styles.css">
</head>
<body>
</body>
</html>
```



```
styles.css
Body {
    background-color:lightblue;
}

H1 {
    color:red;
    text-align:center;
}

P {
    font-family:"Times New Roman";
    font-size:20px;
}
```



AN INTRODUCTION TO WEB PROGRAMMING

Dr. Hossein Hakimzadeh

Department of Computer and Information Sciences
Indiana University
South Bend, IN



css
B

CSS SYNTAX

- CSS documents are simply a series of rules that govern how various HTML elements are displayed. Each rule has two main parts:
- Selector {Declaration; ...}
- The **selector** is typically an HTML element (such as Body, h1, p, div, etc.)
- The **{Declaration}** block is typically one or more style attributes (such as color, font, text-alignment, etc) that we want to apply a selector.
- Each **declaration** consists of a pair of “**attribute:value**” and is terminated with a “;”

Example

```
<style>
```

h1

{

```
color:red;  
text-align:center;
```

}

```
</style>
```

CSS COMMENTS

- Comments can be added to CSS to explain the code:
- `/*comment */`

Example

```
<style>  
/*This is a comment*/  
h1  
{  
    color:red;  
    text-align:center;  
}  
  
</style>
```

THE ID SELECTOR

- Typically CSS selectors are typically HTML tags, however they don't have to be! The user can create user-defined selectors.
- The **id selector** is used to specify a style for a single, unique element.
- The id selector uses the **id attribute of the HTML element**, and is defined with a "**#**".
- Example creates a new style called "style1" and it is only applied to an element with id="style1".

Example:

```
<!DOCTYPE html>
<html>
<head>
<style>
#style1
{
    text-align:center;
    color:red;
    font-weight:bold;
}
</style>
</head>


<body>
<p id="style1">Hello World!</p>
<p>This paragraph is not affected by the style.</p>
</body>
</html>
```

OUTPUT

Only the paragraph
with the `id=style1`
is affected.

The screenshot shows the Notepad++ interface with the file `01_css_1_ID_Selector.html` open. The code demonstrates the use of an ID selector (`#style1`) to style a paragraph. A red box highlights the line `<p id="style1">Hello World!</p>`. The browser preview window on the right shows the resulting output where only the paragraph with the ID is styled in red and bold.

```
<!DOCTYPE html>
<!--
  Use of the "id" selector to style a tag
  =====
  The # sign in front of the style information indicates that this style is
  connected to an "id" within the document. Depending the tag that the "id"
  is attached to, this style can apply to a small or large area with the document
-->
<html>
<head>
<style>
#style1
{
    text-align:center;
    color:red;
    font-weight:bold;
}
</style>
</head>
<body>
<p id="style1">Hello World!</p>
<p>This paragraph is not affected by the style.</p>
</body>
</html>
```



THE CLASS SELECTOR

- The class selector is used to specify a style for a group of elements.
- This allows the user to set a particular style for many HTML elements with the same class.
- The class selector uses the HTML class attribute, and is defined with a `.` in front of the selector.
- Example shows a case where all HTML elements with `class="center"` will be center-aligned:

Example:

```
<!DOCTYPE html>
<html>
<head>
<style>
    .center
    {
        text-align:center;
    }
</style>
</head>

<body>
    <h1 class="center">Center-aligned heading</h1>
    <p class="center">Center-aligned paragraph</p>
    <p> This paragraph should not be centered </p>
    <h1> Nor should this heading </h1>
</body>

</html>
```

OUTPUT

The screenshot illustrates the output of a CSS class selector example. On the left, the Notepad++ editor shows the HTML file `01_css_1_Class_Selector.html`. The code includes a CSS block within the `<head>` section defining a class `.center` with a `text-align:center;` rule. The body contains two `h1` tags and one `p` tag, each assigned the `.center` class. On the right, a browser window displays the rendered document. The first `h1` tag is centered, while the second is not. The single `p` tag is also not centered.

```
*C:\wamp\www\A340\css\01_css_1_Class_Selector.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
01_css_1_Class_Selector.html styles_1.css styles_2a.css
1 <!DOCTYPE html>
2
3 <!--
4     Use of the "class" selector to style a tag
5 =====
6 The "." (period) in front of the style selector indicates that this style
7 should be applied to all the elements belonging to a given CLASS. Each tag
8 within the document can specify that they are styled by a given style class
9 by using the class="classname" designation. Depending the tag that the "class"
10 is attached to, this style can apply to a small or large area within the document.
11 -->
12
13 <html>
14 <head>
15
16 <style>
17     .center
18     {
19         text-align:center;
20     }
21 </style>
22
23 </head>
24
25 <body>
26
27     <h1 class="center">This heading will be Center-aligned</h1>
28     <p class="center">Center-aligned paragraph</p>
29
30     <p> This paragraph should not be centered </p>
31     <h1> Nor should this heading </h1>
32
33 </body>
34 </html>

length : 846  lines : 35  Ln : 28  Col : 47  Sel : 0  DosWindows  ANSI  INS
CSS
```

Hakimzadeh, Ho... 01_css_1_Class... file:///C:/wamp/www/A340/css/01_css_1_Class_Selector.htm

This heading will be Center-aligned

Center-aligned paragraph

This paragraph should not be centered

Nor should this heading

THE CLASS SELECTOR

- A class selector can also specify that **only specific HTML elements should be affected** by a class. (In this case the “p” element)
- This example only the “p” elements with `class="center"` declarations will be center-aligned. (note the “h1” element will not be affected)

Example:

```
<!DOCTYPE html>
<html>
<head>
<style>
    p.center
    {
        text-align:center;
    }
</style>
</head>

<body>
    <h1 class="center">Heading will not be affected</h1>
    <p class="center">Paragraph will be centered</p>
    <p> This paragraph should not be centered </p>
    <h1> Nor should this heading </h1>
</body>
</html>
```

OUTPUT


C:\wamp\www\A340\css\01_css_2_Class_Selector_2.html - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

styles_1.css styles_2a.css 01_css_2_Class_Selector_1.html 01_css_2_Class_Selector_2.html

```
1 <!DOCTYPE html>
2
3 <!--
4     Use of the "class" selector to style a SPECIFIC tag
5     =====
6     If you first identify a selector (e.g. p for the paragraph) and then use the "."
7     (period) in front of the style selector, followed by a classname, that indicates
8     that this style should be applied to all paragraph tags which have the
9     proper class id:
10
11         p.center
12
13     This means that ONLY paragraph tags that have a "center" id are effected by this
14     style.
15
16 -->
17
18 <html>
19 <head>
20 <style>
21     p.center
22     {
23         text-align:center;
24     }
25 </style>
26 </head>
27
28 <body>
29     <h1 class="center">Heading will not be affected</h1>
30
31     <p class="center">Paragraph will be centered</p>
32
33     <p> This paragraph should not be centered </p>
34
35     <h1> Nor should this heading </h1>
36
37 </body>
38 </html>
```

length : 829 lines : 38 Ln : 28 Col : 7 Sel : 0 Dos\Windows ANSI INS



WAYS OF INSERTING CSS IN TO HTML DOCUMENTS

- **Embedded** or (Internal) style sheet (what we have been showing in some of the previous examples)
- **External** style sheet (place the styles in a separate file and include it in your HTML document)
- **Inline** style (include it with the HTML tag.)

An internal style sheet should be used when a single document has a unique style. You define internal styles in the head section of an HTML page, by using the `<style>` tag,

An external style sheet is ideal when the style is applied to many pages. With an external style sheet, you can change the look of an entire Web site by changing one file. Each page must link to the style sheet using the `<link>` tag. The `<link>` tag goes inside the head section

An inline style loses many of the advantages of style sheets by mixing content with presentation. This could be useful if we want to override conflicting style information.

EXAMPLE OF EXTERNAL STYLE SHEETS

```
<!DOCTYPE html>
<html>

<head>
    <link rel="stylesheet" type="text/css" href="mystyle.css">
</head>


<body>
    <h1>Heading color will be changed to sienna color</h1>
    <p>Paragraph will have a left margin of 20px</p>
</body>
</html>
```

mystyle.css

```
H1 {
    color:sienna;
}

p {
    margin-left:20px;
}
```


OUTPUT



```
*C:\wamp\www\A340\css\02_css_External_Style_1.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
02_css_External_Style_1.css 02_css_External_Style_1.html

1 <!DOCTYPE html>
2
3 <!--
4     Use of external Style Sheet
5
6     The <link> tag is used to load the style sheet.
7
8 -->
9
10 <html>
11 <head>
12 <head>
13 <head>
14 <head>
15 <link rel="stylesheet" type="text/css" href="02_css_External_Style_1.css">
16
17 </head>
18
19 <body>
20     <h1>Heading color will be changed to sienna color</h1>
21     <p>Paragraph will have a left margin of 20px</p>
22 </body>
23 </html>
24

length : 373  lines : 25  Ln : 24  Col : 1  Sel : 0  Dos\Windows  ANSI  INS
```



```
*C:\wamp\www\A340\css\02_css_External_Style_1.css - Notepad...
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
02_css_External_Style_1.css 02_css_External_Style_1.html

1 /*-----*/
2 /*
3     A simple style sheet for changing the color for
4     all H1 headings as welll as
5     creating a margin for all paragraphs.
6
7 */
8 h1 {
9     color:sienna;
10 }
11
12 p {
13     margin-left:20px;
14 }

Ln : 7  Col : 1  Sel : 0  Dos\Windows  ANSI  INS
```



EXAMPLE OF INLINE STYLES

```
<p style="color:blue; margin-left:40px">
```

Paragraph will be have a left margin of 40px and color of BLUE

```
</p>
```

The screenshot illustrates the use of inline CSS by comparing its representation in a code editor and a web browser.

Notepad++ (Left): Shows the HTML file `03_css_Inline_Style_1.html`. The code includes a comment `<!-- Use of Inline style -->`, the structure `<!DOCTYPE html>`, `<html>`, `<head>`, `</head>`, `<body>`, and a paragraph element `<p style="color:blue; margin-left:40px">Paragraph will be have a left margin of 40px and color of BLUE</p>`. The line numbers from 1 to 19 are visible on the left.

Web Browser (Right): Shows the rendered output of the same HTML file. The paragraph is displayed with a blue color and a left margin of 40px, as specified in the inline style attribute.

CSS SELECTORS

- There are many types of selectors (too many to list here), but we will introduce a few that are used very commonly.
- For more see:

http://www.w3schools.com/cssref/css_selectors.asp

Selector	Example	Description
.class	.center	Select all elements with class="center"
#id	#container	Select the element with id="container"
*	*	Select all elements
element	p	Select all <p> elements
element element	div p	Select all <p> elements inside <div> elements

COLOR AND BACKGROUND COLOR

- Colors in CSS can be specified by the following methods:
 - Hexadecimal colors
 - RGB colors
 - RGBA colors
 - HSL colors
 - Predefined color names

- Hex:

```
p  
{  
color:#ff0000;  
}
```

- RGB

```
p  
{  
background-color:rgb(255,0,0);  
}
```

EXAMPLE

```
C:\wamp\www\A340\css\04_css_Colors_Background_Color_1.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
[Icons] 05_css_Text_Align_1.html 04_css_Font_Weight_1.html 06_css_Margin_1.html 05_css_Text_Decoration_1.html 04_css_Colors_Background_Color_1.html

19
20 <div style="background-color:lightgray;">
21
22
23 <h3> Text Color:</h3>
24 <ul>
25   <p style="color:blue; "> BLUE (Predefined color name) </p>
26   <p style="color:#FFAA00; "> Pink (Hex value) </p>
27   <p style="color:rgb(150, 150, 255); "> LIGHT BLUE (RGB value) </p>
28 </ul>
29 <hr />
30 <!-- -----
31 <h3> Text Background Color:</h3>
32 <ul>
33   <p style="background-color:#FF0000;"> RED (HEX) </p>
34   <p style="background-color:rgb(0,0,255); "> BLUE (RGB) </p>
35   <p style="background-color:rgba(255,0,0,0.1); "> RED (RGBA) </p>
36 </ul>
37   | RGBA color values are an extension of RGB color values with an
38   | alpha channel - which specifies the opacity of the object.
39
40   | An RGBA color value is specified with: rgba(red, green, blue,
41   | alpha). The alpha parameter is a number between 0.0 (fully
42   | transparent) and 1.0 (fully opaque).
43 </ul>
44
45 <p style="background-color:hsl(120,65%,75%); "> HLS (Hue, saturation,
46   and Lightness) </p>
47
48 <ul>
49   | HLS stands for hue, saturation, and lightness - and represents a
50   | cylindrical-coordinate representation of colors.
51
52   | An HSL color value is specified with: hsl(hue, saturation,
53   | lightness).
54
55   | Hue is a degree on the color wheel (from 0 to 360) - 0 (or 360)
56   | is red, 120 is green, 240 is blue. Saturation is a percentage
57   | value; 0% means a shade of gray and 100% is the full color.
58   | Lightness is also a percentage; 0% is black, 100% is white.
```

Text Color:

- BLUE (Predefined color name)
- Pink (Hex value)
- LIGHT BLUE (RGB value)

Text Background Color:

- RED (HEX)
- BLUE (RGB)
- RED (RGBA)

RGBA color values are an extension of RGB color values with an alpha channel - which specifies the opacity of the object. An RGBA color value is specified with: rgba(red, green, blue, alpha). The alpha parameter is a number between 0.0 (fully transparent) and 1.0 (fully opaque).

HLS (Hue, saturation, and Lightness)

HSL stands for hue, saturation, and lightness - and represents a cylindrical-coordinate representation of colors. An HSL color value is specified with: hsl(hue, saturation, lightness). Hue is a degree on the color wheel (from 0 to 360) - 0 (or 360) is red, 120 is green, 240 is blue. Saturation is a percentage value; 0% means a shade of gray and 100% is the full color. Lightness is also a percentage; 0% is black, 100% is white.

Predefined colors (http://www.w3schools.com/cssref/css_colornames.asp)

HSL stands for hue, saturation, and lightness - and represents a cylindrical-coordinate representation of colors. An HSL color value is specified with: hsl(hue, saturation, lightness). Hue is a degree on the color wheel (from 0 to 360) - 0 (or 360) is red, 120 is green, 240 is blue. Saturation is a percentage value; 0% means a shade of gray and 100% is the full color. Lightness is also a percentage; 0% is black, 100% is white.

CSS BACKGROUND PROPERTIES

- CSS background properties are used to define the background effects of an element.
 - background-color
 - background-image
 - background-repeat
 - background-attachment
 - background-position
- More info at
http://www.w3schools.com/css/css_background.asp



AN INTRODUCTION TO WEB PROGRAMMING

Dr. Hossein Hakimzadeh

Department of Computer and Information Sciences
Indiana University
South Bend, IN




css
c

CSS FONT / TEXT PROPERTIES

- CSS **font** properties define the font family, font size, style, weight of the text.
- In addition, the CSS **text** properties define the shadow, alignment, and decoration.
- Finally, the **margin** property allows the user to specify the margin for a given object.
- More info at:
http://www.w3schools.com/css/css_font.asp

FONT SIZE


- The font-size property sets the size of a font.
- The size could be expressed as:
 - percentage relative to normal size
 - Pixels
 - Centimeters
 - Inches
 - predefined values



EXAMPLE


```
C:\wamp\www\A340\css\04_css_Font_Size_1.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
05_css_Text_Align_1.html 05_css_Text_Shadow_1.html 04_css_Font_Weight_1.html 06_css_Margin_1.html 04_css_Font_Size_1.html

6 Date: Feb, 2013
7 Author: Hossein Hakimzadeh
8 (C) Copyright 2013 by Hossein Hakimzadeh, All rights reserved.
9 Description:
10   Font Size
11
12 -->
13
14 <html>
15 <head>
16 </head>
17
18 <body>
19
20   <hr />
21   <!-- -----
22   <h3> Font Size:</h3>
23   http://www.w3schools.com/cssref/pr_font_font-size.asp
24   <ul>
25     <p style="font-size:150%;"> Font size 150% of normal </p>
26     <p style="font-size:xx-small;"> Font size = xx-small </p>
27     <p style="font-size:x-small;"> Font size = x-small </p>
28     <p style="font-size:small;"> Font size = small </p>
29     <p style="font-size:medium;"> Font size = medium </p>
30     <p style="font-size:large;"> Font size = large </p>
31     <p style="font-size:x-large;"> Font size = x-large </p>
32     <p style="font-size:xx-large;"> Font size = xx-large </p>
33   </ul>
34
35   ...
36   ...
37   ...
38
```



FONT STYLE

- The font-style property specifies the font style for a text.



EXAMPLE


C:\wamp\www\A340\css\04_css_Font_Style_1.html - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

D0_css_Font_Weight_1.html D06_css_Margin_1.html D04_css_Font_Size_1.html D04_css_Font_Family_1.html D04_css_Font_Style_1.html


```
4
5 File:          04_CSS_Font_Style_1.html
6 Date:         Feb, 2013
7 Author:        Hossein Hakimzadeh
8 ...           (C) Copyright 2013 by Hossein Hakimzadeh, All rights
9 reserved.
10 Description:
11     Font Style
12 -->
13
14 <html>
15 <head>
16 </head>
17
18 <body>
19
20
21     <hr />
22     <!-- ----->
23     <h3> Font Style:</h3>
24     http://www.w3schools.com/cssref/pr_font_font-style.asp
25     <ul>
26         <p style="font-style:normal;"> Font Style = normal </p>
27         <p style="font-style:italic;"> Font Style = italic </p>
28         <p style="font-style:oblique;"> Font Style = oblique </p>
29     </ul>
30
31 </body>
32 </html>
```

Hyper Text Markup | length : 641 lines : 34 Ln : 1 Col : 1 Sel : 0 Dos\Windows ANSI INS



FONT WEIGHT

- The font-weight property sets how thick or thin characters in text should be displayed.



EXAMPLE


C:\wamp\www\A340\css\04_css_Font_Weight_1.html - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

04_css_Font_Weight_1.html 06_css_Margin_1.html 04_css_Font_Size_1.html 04_css_Font_Family_1.html 04_css_Font_Style_1.html

```
5 File: 04_CSS_Font_Weight_1.html
6 Date: Feb, 2013
7 Author: Hossein Hakimzadeh
8 (C) Copyright 2013 by Hossein Hakimzadeh, All rights reserved.
9 Description:
10     Font Weight
11
12 -->
13
14 <html>
15 <head>
16 </head>
17
18 <body>
19
20     <hr />
21     <!-- -----
22     <h3> Font Weight:</h3>(thick or thin characters)
23     http://www.w3schools.com/cssref/pr_font_weight.asp
24     <ul>
25         <p style="font-weight:normal;"> Font Weight = normal </p>
26         <p style="font-weight:bold;"> Font Weight = bold </p>
27         <p style="font-weight:bolder;"> Font Weight = bolder</p>
28         <p style="font-weight:lighter;"> Font Weight = lighter </p>
29
30     </ul>
31
32 </body>
33 </html>
```

Hyper Text Markup | length : 728 lines : 35 | Ln : 1 Col : 1 Sel : 0 | Dos\Windows | ANSI | INS



FONT FAMILY

- When setting the font-family property, we should provide several font names as a "fallback" system, to ensure maximum compatibility between browsers and operating systems.
- If the browser does not support the first font, it tries the next font.
- Example:

```
P  
{  
    font-family: "Times New Roman", Times,  
    serif  
}
```

http://www.w3schools.com/cssref/css_websafe_fonts.asp

Serif Fonts

font-family	Example text
Georgia, serif	This is a heading This is a paragraph
"Palatino Linotype", "Book Antiqua", Palatino, serif	This is a heading This is a paragraph
"Times New Roman", Times, serif	This is a heading This is a paragraph

Sans-Serif Fonts

font-family	Example text
Arial, Helvetica, sans-serif	This is a heading This is a paragraph
"Arial Black", Gadget, sans-serif	This is a heading <i>This is a paragraph</i>
"Comic Sans MS", cursive, sans-serif	This is a heading This is a paragraph
Impact, Charcoal, sans-serif	This is a heading This is a paragraph
"Lucida Sans Unicode", "Lucida Grande", sans-serif	This is a heading This is a paragraph
Tahoma, Geneva, sans-serif	This is a heading This is a paragraph
"Trebuchet MS", Helvetica, sans-serif	This is a heading This is a paragraph
Verdana, Geneva, sans-serif	This is a heading This is a paragraph

Monospace Fonts

font-family	Example text
"Courier New", Courier, monospace	This is a heading This is a paragraph
"Lucida Console", Monaco, monospace	This is a heading This is a paragraph

EXAMPLE

The screenshot shows a Windows desktop environment. On the left, a Notepad++ window displays an HTML file named '04_css_Font_Family_1.html'. The code in the file defines a 'Font Family' section with three examples using different font families: Times New Roman, Arial, and Courier New. On the right, a web browser window shows the rendered content of the HTML file, displaying the heading 'Font Family:' and the three examples with their respective font styles.

```
C:\wamp\www\A340\css\04_css_Font_Family_1.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
04_css_Font_Weight_1.html 06_css_Margin_1.html 04_css_Font_Size_1.html 04_css_Font_Family_1.html 04_css_Font_Style_1.html

9 Description:
10     Font Family
11
12 --->
13
14 <html>
15 <head>
16 </head>
17
18 <body>
19
20
21     <hr />
22     <!-- ----->
23     <h3> Font Family:</h3>
24
25     <ul>
26         <p style="font-family: 'Times New Roman', Times, serif;"> Font
27             Family = Times New Roman, Times, serif</p>
28
29         <p style="font-family: Arial, Helvetica, sans-serif;"> Font
30             Family = Arial, Helvetica, sans-serif</p>
31
32         <p style="font-family: 'Courier New', Courier, monospace;">
33             Font Family = "Courier New", Courier, monospace</p>
34     </ul>
35
36 </body>
</html>
```

Hyper Text Markup | length : 742 lines : 36 | Ln : 1 Col : 1 Sel : 0 | Dos\Windows | ANSI | INS

file:///C:/wamp/www/A340/cs:

Free Hotmail RealPlayer Other bookmarks

Font Family:

Font Family = Times New Roman, Times, serif

Font Family = Arial, Helvetica, sans-serif


Font Family = "Courier New", Courier, monospace

CSS TEXT PROPERTIES

- CSS text properties are used to set the color, shadow, alignment, decoration, transformation, indentation, etc.
- More info at:
http://www.w3schools.com/css/css_text.asp

TEXT SHADOW

- The text-shadow property attaches one or more shadows to text. The property. It is a comma-separated list of shadows directions, followed by blur radius and color.
- Syntax:
`text-shadow: h-shadow v-shadow blur color;`




EXAMPLE

C:\wamp\www\A340\css\05_css_Text_Shadow_1.html - Notepad++


```
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
05_css_Text_Align_1.html 05_css_Text_Shadow_1.html 04_css_Font_Weight_1.html 06_css_Margin_1.html
15 <head>
16 </head>
17
18 <body>
19
20     <hr />
21     <!-- -----
22     <h3> Text Shadow:</h3>
23
24     <ul>
25         <p style="text-shadow: +4px +4px 10px dimgray; font-size:400%;">
26             Text with South-East shadow and +10px Gray blur radius
27         </p>
28
29         <p style="text-shadow: -4px -4px 10px red; font-size:400%;">
30             Text with North-West shadow and +10px Red blur radius
31         </p>
32
33         <p style="" text-shadow: -1px 0 black,
34             0 1px black,
35             1px 0 black,
36             0 -1px black;
37
38             color:white;
39             font-size:400%;
40             ">
41             Using text-shadow to create an outline
42
43     </ul>
44
45 </body>
46
47 </html>
```

Hyper Text Markup | length : 882 lines : 47 Ln : 30 Col : 33 Sel : 0 Dos\Windows ANSI INS //



TEXT DECORATION

- The text-decoration property specifies the decoration added to text.
- Decoration includes:
 - None
 - Underline
 - Overline
 - Line-through
 - Blink



EXAMPLE

The screenshot illustrates the creation and preview of CSS text decoration examples. On the left, the Notepad++ editor shows the HTML code for '05_css_Text_Decoration_1.html'. The code includes a descriptive section and a list of five text-decoration styles: normal, underline, overline, line-through, and blink. The 'blink' style is noted as not being supported by all browsers. On the right, a web browser window displays the rendered HTML. It features a heading 'Text Decoration:' followed by five paragraphs, each demonstrating a different text-decoration type.

```
*C:\wamp\www\A340\css\05_css_Text_Decoration_1.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
05_css_Text_Align_1.html 04_css_Font_Weight_1.html 06_css_Margin_1.html 05_css_Text_Decoration_1.html

9 Description:
10     Text Decoration
11
12     -->
13
14     <html>
15     <head>
16     </head>
17
18     <body>
19
20         <hr />
21         <!-- -----
22         <h3> Text Decoration:</h3>
23
24         <ul>
25             <p style="text-decoration: normal;"> Normal Decoration </p>
26             <p style="text-decoration: underline;"> Underline Decoration </p>
27             <p style="text-decoration: overline;"> Overline Decoration </p>
28             <p style="text-decoration: line-through;"> Line-through Decoration </p>
29             <p style="text-decoration: blink;"> Blink Decoration (not supported
30                 by all browsers)</p>
31
32         </ul>
33     </body>
34
35


Hyper Text Markup Language file length : 781 lines : 35 Ln : 29 Col : 45 Sel : 0 Dos\Windows ANSI INS
```

Text Decoration:

- Normal Decoration
- Underline Decoration
- Overline Decoration
- Line-through Decoration
- Blink Decoration (not supported by all browsers)


TEXT ALIGN

- The `text-align` property specifies the horizontal alignment of text in an element.
- Alignment includes:
 - Left
 - Right
 - Center
 - Justify




EXAMPLE

```
*C:\wamp\www\A340\css\05_css_Text_Align_1.html - Notepad++
File Edit Search View Encoding Language Settings Macro Run Plugins Window ?
05_css_Text_Align_1.html 04_css_Font_Weight_1.html 06_css_Margin_1.html 05_css_Text_Decoration_1.html
21 <!--
22 <h3> Text-Align:</h3>
23 <hr />
24
25
26 <p style="text-align:center;"> Center align </p>
27 <p style="text-align:left;"> Left align </p>
28 <p style="text-align:right;"> Right align </p>
29
30 <hr />
31 <p style="text-align:justify;">
32 <b> Justify align: </b>
33 Bridging the Gap Between Academic Theories and Real Life Business
Needs IU South Bend's Master of Science in Applied Mathematics
and Computer Science program was designed to meet the needs of
those already working in the technical or quantitative fields. It
is also a program suitable for those who have recently earned a
bachelor's degree in science or business areas or for those who
are simply interested in increasing their skills in applied
mathematics or computing. This advanced degree prepares students
to meet the complex computer and mathematical challenges they
will face in today's changing, high-tech business environment.
34 </p>
35
36 </body>
37 </html>
```



MARGIN

- The margin shorthand property sets all the margin properties in one declaration. This property can have from one to four values.
- **Example:**
`margin:10px 5px 15px 20px;`
 - top margin is 10px
 - right margin is 5px
 - bottom margin is 15px
 - left margin is 20px



EXAMPLE


C:\wamp\www\A340\css\06_css_Margin_1.html - Notepad++

File Edit Search View Encoding Language Settings Macro Run Plugins Window ?

04_css_Font_Family_1.html 05_css_Text_Shadow_1.html 05_css_Text_Decoration_1.html 05_css_Text_Align_1.html 06_css_Margin_1.html

```
19  
20  
21  
22 <!-- ----->  
23 <h3> Margin:</h3>  
24 <hr />  
25  
26  
27 <p style="margin:50px 50px 50px 50px; background-color:yellow">  
28     Top margin = 50px    <br />  
29     Right margin = 50px <br />  
30     Rottom margin = 50px <br />  
31     Left margin = 50px   <br />  
32 </p>  
33  
34 <p> the next line... </p>  
35  
36  
37  
38  
39 </body>
```

Hyper Text Markup La length : 624 lines : 42 Ln : 25 Col : 1 Sel : 0 Dos|Windows ANSI INS





AN INTRODUCTION TO WEB PROGRAMMING

Dr. Hossein Hakimzadeh

Department of Computer and Information Sciences
Indiana University
South Bend, IN



css
D

CONFLICTING STYLES: INHERITANCE (CASCADING STYLES)

- In most cases a style defined at the parent level is applied to its child elements.
- Child elements however can attempt to override the parent style information. (for example by using inline styles at the element level.)
- Properties defined on descendant (child) elements have a **higher specificity** than properties of parent elements.
- Conflicts are resolved in favor of higher specificity.
- **child's styles take precedence!**


CONFLICTING STYLE

```
<style type= "text/css">
  body {
    font-family: "Times New Roman", Times, serif;
    background-color:gray;
    font-size:x-large;
  }

  h3 {
    font-family: arial, helvetica, sans-serif;
    background-color:yellow;
    text-decoration:underline;
  }


  p {
    background-color:lightblue;
  }

  #cool {
    font-family: ALGERIAN;
  }
</style>
```



CSS BOX MODEL AND FLOW

- All block-level elements have a virtual box drawn around them.
- Block-level element is surrounded by the following:
 - Padding
 - Border
 - Margin



http://www.guistuff.com/css/css_boxmodel.html

<http://www.w3.org/TR/CSS2/box.html>

MARGIN AND PADDING

- Margin and Padding can be set by using the “margin” and “padding” parameters.
- They both have a similar syntax:

margin: top right bottom left

padding: top right bottom left

- Examples:

padding:10px 5px 15px 20px;

top padding is 10px
right padding is 5px
bottom padding is 15px
left padding is 20px

padding:10px 5px 15px;

top padding is 10px
right and left padding are 5px
bottom padding is 15px

padding:10px 5px;

top and bottom padding are 10px
right and left padding are 5px

padding:10px;

all four paddings are 10px

The same syntax is used for Margins


CREATING BORDER AND BOXES

- **Border Width:**

```
.simple { border-width: 0px; }  
.thick  { border-width: thick; }  
.medium { border-width: medium; }  
.thin   { border-width: thin; }
```

- **Border Style:**


```
.solid  { border-style: solid; }  
.double { border-style: double; }  
  
.groove { border-style: groove; }  
.ridge  { border-style: ridge; }  
  
.dotted { border-style: dotted; }  
.dashed { border-style: dashed; }  
  
.inset  { border-style: inset; }  
.outset { border-style: outset; }
```



BORDERS AND BOXES

```
.dottedRed {  
    border-width: medium;  
    border-style: dotted;  
    border-color: Red;  
}
```

```
.mixed {  
    border-top-style:solid;  
    border-top-color:#ff0000;  
  
    border-right-style:double;  
    border-right-color:#00ff00;  
  
    border-bottom-style:inset;  
    border-bottom-color:#0000ff;  
  
    border-left-style:ridge;  
    border-left-color:brown;  
}
```



BORDER IMAGES

Source Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
div
{
border:15px solid transparent;
width:250px;
padding:10px 20px;
}

#round
{
-moz-border-image:url(border.png) 30 30 round; /* Old Firefox */
-webkit-border-image:url(border.png) 30 30 round; /* Safari */
-o-border-image:url(border.png) 30 30 round; /* Opera */
border-image:url(border.png) 30 30 round;
}

#stretch
{
-moz-border-image:url(border.png) 30 30 stretch; /* Old Firefox */
-webkit-border-image:url(border.png) 30 30 stretch; /* Safari */
-o-border-image:url(border.png) 30 30 stretch; /* Opera */
border-image:url(border.png) 30 30 stretch;
}
</style>
</head>
<body>

<p><b>Note:</b> Internet Explorer does not support the border-image property.</p>
<p>The border-image property specifies an image to be used as a border.</p>

<div id="round">Here, the image is tiled (repeated) to fill the


```

Submit Code »


Result:

Note: Internet Explorer does not support the border-image property.

The border-image property specifies an image to be used as a border.



Here, the image is tiled (repeated) to fill the area.



Here, the image is stretched to fill the area.

Here is the image used:




http://www.w3schools.com/cssref/css3_pr_border-image.asp

ROUNDED BORDERS

- Rounder corners can be created independently using the four individual **corner** properties, or just be setting all four corners by using the **border-radius** property:
- Corner Properties:
 - border-bottom-left-radius
 - border-top-left-radius
 - Border-bottom-right-radius
 - Border-top-right-radius
- Example:


```
border-top-left-radius: 10px 5px;  
border-bottom-right-radius: 10% 5%;  
border-top-right-radius: 10px;
```



<http://www.css3.info/preview/rounded-border/>

ROUNDED BORDERS

```
body { background-color:gray; }
div.background {
    position: absolute;
    width:500px;
    height:500px;
    background-color:black;
    border:2px solid white;
    border-radius: 30px;
}
div.box1 {
    position: absolute;
    top:50px;
    left:50px;
    width:80px;
    height:80px;
    background-color:white;
    border-radius: 10px;
}
div.box2 {
    position: relative;
    top:75px;
    left:75px;
    width:80px;
    height:80px;
    background-color:Yellow;
    border-radius: 15px;
}
div.box3 {
    position: relative;
    top:100px;
    left:100px;
    width:80px;
    height:80px;
    background-color:Red;
    border-radius: 20px;
}
```




<http://www.css3.info/preview/rounded-border/>

ROUNDED BORDERS

- ```
#Example_A {
height: 65px;
width:160px;
-moz-border-radius-bottomright: 50px;
border-bottom-right-radius: 50px;
}
```
- ```
#Example_B {  
height: 65px;  
width:160px;  
-moz-border-radius-bottomright: 50px 25px;  
border-bottom-right-radius: 50px 25px;  
}
```
- ```
#Example_C {
height: 65px;
width:160px;
-moz-border-radius-bottomright: 25px 50px;
border-bottom-right-radius: 25px 50px;
}
```
- ```
#Example_D {  
height: 5em;  
width: 12em;  
-moz-border-radius: 1em 4em 1em 4em;  
border-radius: 1em 4em 1em 4em;  
}
```
- ```
#Example_E {
height: 65px;
width:160px;
-moz-border-radius: 25px 10px / 10px 25px;
border-radius: 25px 10px / 10px 25px;
}
```
- ```
#Example_F {  
height: 70px;  
width: 70px;  
-moz-border-radius: 35px;  
border-radius: 35px;  
}
```

-moz- prefix is used by some versions of Mozilla firefox



<http://www.css3.info/preview/rounded-border/>

BOXES AND SHADOWS

- Simple example of box-shadow property.

Source Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
div
{
width:300px;
height:100px;
background-color:yellow;
box-shadow: 10px 10px 5px #888888;
}
</style>
</head>
<body>

<div></div>

</body>
</html>
```

Submit Code *

<http://www.css3.info/preview/box-shadow/>

TRANSPARENCY AND OPACITY

```
<head>
```

```
<style type= "text/css">  
    img {  
        opacity:0.2;  
        filter:alpha(opacity=20); /* For IE8 and earlier */  
    }  
  
    img:hover {  
        opacity:1.0;  
        filter:alpha(opacity=100); /* For IE8 and earlier */  
    }  
</style>
```

```
</head>
```

```
<body>
```

```
<!-- ----->
```

```
<h3 > Trasparecy / Opacity:</h3>
```

```
<p> Original Opacity = 20%. Hovering over the image will increase the opacity to 100%.
```

```
<br>
```

```

```

```
<br>
```


```


```

```
<br>
```

```

```





AN INTRODUCTION TO WEB PROGRAMMING

Dr. Hossein Hakimzadeh

Department of Computer and Information Sciences
Indiana University
South Bend, IN



css
E

POSITIONING AND LAYERING

- Elements in HTML5 can be stacked on top of each other (or overlap) using two different CSS properties:
 1. Position
 2. Z-index
- **Position** can be:
 - Static (default)
 - Relative
 - Absolute
 - Fixed
 - Inherit (inherit from parent)
- **Z-index** is simply a number.
 - Smaller number means farther away from you


POSITIONING

- **Static** positioning is the default and the z-index has no effect on statically positioned elements.
- **Relative** positioning is based on the parent and other elements and can be adjusted using the margin, top, bottom, left and right properties.
- **Absolute** positioned elements are removed from the flow of the document, but they are relative to their parent elements. (Other elements in the page will behave as if it is not even there!)
- **Fixed** positioned elements are similar to Absolute positioned element, except that they are fixed to the document not any parent element.

http://www.w3schools.com/css/css_positioning.asp


STATIC POSITIONING EXAMPLES:

```
body { background-color:gray; }
div.background { position: static;
width:500px;
height:500px;
background-color:black;
border:2px solid white;
}
div.box1 { position:static;
margin:0px;
top:0px;
left:0px;
width:80px;
height:80px;
background-color:white;
}
div.box2 { position:static;
margin:0px;
top:0px;
left:0px;
width:80px;
height:80px;
background-color:Yellow;
}
div.box3 { position:static;
width:80px;
height:80px;
background-color:Red;
}
```




RELATIVE POSITIONING EXAMPLES:

```
body {  
    background-color:gray;  
}  
  
div.background {  
    position: relative;  
    width:500px;  
    height:500px;  
    background-color:black;  
    border:2px solid white;  
}  
  
div.box1 {  
    position:relative;  
    margin:50px 50px 50px 50px;  
  
    width:80px;  
    height:80px;  
    background-color:white;  
}  
  
div.box2 {  
    position:relative;  
    margin:50px 50px 50px 50px;  
  
    width:80px;  
    height:80px;  
    background-color:Yellow;  
}  
  
div.box3 {  
    position:relative;  
    margin:75px 75px 75px 75px;  
  
    width:80px;  
    height:80px;  
    background-color:Red;  
}
```




ABSOLUTE POSITIONING EXAMPLES:

```
body {  
    background-color:gray;  
}  
div.background {  
    position: absolute;  
    width:500px;  
    height:500px;  
    background-color:black;  
    border:2px solid white;  
}  
div.box1 {  
    position: absolute;  
    top:50px;  
    left:50px;  
  
    width:80px;  
    height:80px;  
    background-color:white;  
}  
div.box2 {  
    position: absolute;  
    top:75px;  
    left:75px;  
  
    width:80px;  
    height:80px;  
    background-color:Yellow;  
}  
div.box3 {  
    position: absolute;  
    top:100px;  
    left:100px;  
  
    width:80px;  
    height:80px;  
    background-color:Red;  
}
```



FIXED POSITIONING EXAMPLES:

```
body {  
    background-color:gray;  
}  
  
div.background {  
    position: fixed;  
    width:500px;  
    height:500px;  
    background-color:black;  
    border:2px solid white;  
}  
  
div.box1 {  
    position: fixed;  
    top:50px;  
    left:50px;  
  
    width:80px;  
    height:80px;  
    background-color:white;  
}  
  
div.box2 {  
    position: fixed;  
    top:75px;  
    left:75px;  
  
    width:80px;  
    height:80px;  
    background-color:Yellow;  
}  
  
div.box3 {  
    position: fixed;  
    top:100px;  
    left:100px;  
  
    width:80px;  
    height:80px;  
    background-color:Red;  
}
```




LAYERING (Z-INDEX)

- Using the **Absolute positioning** and the **z-index** property, the user can have much better control over the positioning and layering of objects on a web page.
- Specifying an element's position as "absolute" will remove it from the normal flow of elements on a page. Instead, the element can be positioned according to a distance from top, left, right, bottom of its containing block-level element.


LAYERING (Z-INDEX)

```
body { background-color:gray; }
div.background { position: absolute; width:500px; height:500px; background-color:black; border:2px solid white; }
div.box1 { position: absolute; top:50px; left:50px; width:80px; height:80px; background-color:white; z-index:1; }
div.box2 { position: absolute; top:75px; left:75px; width:80px; height:80px; background-color:Yellow; z-index:2; }
div.box3 { position: absolute; top:100px; left:100px; width:80px; height:80px; background-color:Red; z-index:3; }
```



LAYERING (Z-INDEX)

```
body { background-color:gray; }
div.background {
    position: absolute;
    width:500px;
    height:500px;
    background-color:black;
    border:2px solid white;
}
div.box1 {
    position: absolute;
    top:50px;
    left:50px;
    width:80px;
    height:80px;
    background-color:white;
    z-index:1;
}
div.box2 {
    position: absolute;
    top:75px;
    left:75px;
    width:80px;
    height:80px;
    background-color:Yellow;
    z-index:3;
}
div.box3 {
    position: absolute;
    top:100px;
    left:100px;
    width:80px;
    height:80px;
    background-color:Red;
    z-index:2;
}
```



MULTI-COLUMN LAYOUT

- CSS allows the user to use pagination features such as multiple columns:

```
div
{
    -moz-column-count:3;      /* Firefox */
    -webkit-column-count:3; /* Safari and Chrome */
    column-count:3;
}
```

MULTI-COLUMN LAYOUT

```
<style type ="text/css">


    body{background-color:gray;}

    div {
        width: 500px;
        background-color:black;
        color: white;
        border-radius: 10px;
        border-style: solid;
    }

    .news_2_column {
        -moz-column-count:2; /* Firefox */
        -webkit-column-count:2; /* Safari and Chrome */
        column-count:2;
    }

    .news_3_column {
        -moz-column-count:3; /* Firefox */
        -webkit-column-count:3; /* Safari and Chrome */
        column-count:3;
    }

</style>
```



MULTI-COLUMN LAYOUT IN (IE)

```
<style type ="text/css">


    body{background-color:gray;}

    div {
        width: 500px;
        background-color:black;
        color: white;
        border-radius: 10px;
        border-style: solid;
    }

    .news_2_column {
        -moz-column-count:2;          /* Firefox */
        -webkit-column-count:2; /* Safari and Chrome */
        column-count:2;
    }

    .news_3_column {
        -moz-column-count:3;          /* Firefox */
        -webkit-column-count:3; /* Safari and Chrome */
        column-count:3;
    }

</style>
```





AN INTRODUCTION TO WEB PROGRAMMING

Dr. Hossein Hakimzadeh

Department of Computer and Information Sciences
Indiana University
South Bend, IN



css
F

EVENT HANDLING WITH CSS

- Although sophisticated event handling is typically performed by a client-side or server-side programming language (e.g., JavaScript or PHP), some events can be nicely handled by simple CSS styles.
- For example we can change the opacity of an image by simply hovering over it, and change the background color of a section by hovering our mouse over it.
- This is often achieved by using a CSS **pseudo-class selectors**.

CSS PSEUDO-CLASSES

- **Pseudo-class selectors** are used to add special effect to “some” selectors.
- Pseudo-class are selectors in CSS that apply to elements when they're in a certain state or condition.
- Syntax:
 - selector:pseudo-class {property:value;}
- Example:
 - p:hover { color:green;}

CSS PSEUDO-CLASSES

All CSS Pseudo Classes/Elements


Selector	Example	Example description
<u>:link</u>	a:link	Selects all unvisited links
<u>:visited</u>	a:visited	Selects all visited links
<u>:active</u>	a:active	Selects the active link
<u>:hover</u>	a:hover	Selects links on mouse over
<u>:focus</u>	input:focus	Selects the input element which has focus
<u>:first-letter</u>	p:first-letter	Selects the first letter of every <p> element
<u>:first-line</u>	p:first-line	Selects the first line of every <p> element
<u>:first-child</u>	p:first-child	Selects every <p> elements that is the first child of its parent
<u>:before</u>	p:before	Insert content before every <p> element
<u>:after</u>	p:after	Insert content after every <p> element
<u>:lang(/language)</u>	p:lang(it)	Selects every <p> element with a lang attribute value starting with "it"

http://www.w3schools.com/css/css_pseudo_classes.asp

EXAMPLES OF CSS EVENT HANDLING

- Let's create a couple of classes, using the hover:

```
.myClass {  
    background: #ffffff;  
}  
  
.myClass:hover {  
    background: #FF0000;  
}
```




```
<H3> Simple Event Handling Using CSS:</H3>  
  
<h1 class="myClass"> Hover over here!! </h1>  
<h1 class="myClass"> Pick 1 </h1>  
<h1 class="myClass"> Pick 2 </h1>
```

EXAMPLES OF CSS EVENT HANDLING

```
<style type = "text/css">
    body{background-color:gray;

    /* Creating a class for handling hover */
    .myClass {
        border-style:solid;
        border-radius:15px;
        background-color: #ffffff;
    }
    .myClass:hover {
        background-color: #FF0000;
    }

    /* Creating a rules and pseudo-classes for handling paragraphs */
    P {
        color:black;
    }
    p:hover {
        color:white;
        font-weight: bold;
    }
    p:first-line {
        color:green;
        font-size: 0.5cm;
    }
    p:first-letter {
        background-color:yellow;
        font-size: 1cm;
    }
}
</style>
```



OVERFLOW

- Sometimes, the content of a box element may overflow its container.
- The overflow property specifies what happens if content overflows an element's box.
- Syntax:
 - Overflow:property
- Property can be:
 - Visible
 - Hidden
 - Scroll
 - Auto

Example:

```
div {  
    width:150px;  
    height:150px;  
    overflow:scroll;  
}
```


Property Values

Value	Description
visible	The overflow is not clipped. It renders outside the element's box. This is default
hidden	The overflow is clipped, and the rest of the content will be invisible
scroll	The overflow is clipped, but a scroll-bar is added to see the rest of the content
auto	If overflow is clipped, a scroll-bar should be added to see the rest of the content
inherit	Specifies that the value of the overflow property should be inherited from the parent element

http://www.w3schools.com/cssref/pr_pos_overflow.asp

OVERFLOW


```
div {  
    width:250px;  
    height:150px;  
    background-color: white;  
    overflow:visible;  
}
```



http://www.w3schools.com/cssref/pr_pos_overflow.asp

OVERFLOW


```
div {  
    width:250px;  
    height:150px;  
    background-color: white;  
    overflow:hidden;  
}
```



http://www.w3schools.com/cssref/pr_pos_overflow.asp

OVERFLOW


```
div {  
    width:250px;  
    height:150px;  
    background-color: white;  
    overflow:scroll;  
}
```



http://www.w3schools.com/cssref/pr_pos_overflow.asp

OVERFLOW

```
div {  
    width:250px;  
    height:150px;  
    background-color: white;  
    overflow:auto;  
}
```



http://www.w3schools.com/cssref/pr_pos_overflow.asp

FIGURE AND FIGCAPTION TAGS

- <Figure>
 - marks up a photo in a document.
- <figcaption>
 - Allows the user to add a caption to the bottom of the figure

<figure>

```

```

<figcaption> Fig.1 - A view of the pulpit rock in Norway. </figcaption>

</figure>

ANIMATION

- The animation property is a shorthand property for six of the animation properties:
 1. animation-name,
 2. animation-duration,
 3. animation-timing-function,
 4. animation-delay,
 5. animation-iteration-count,
 6. animation-direction.
- Duration must always be specified otherwise it will default to 0 (no animation)
- Not supported by IE

CSS TRANSFORMATION

- 2D Transformations are as follows:
 - Translation (moving in x and/or y coordinate)
 - Rotation (about a fixed point)
 - Scaling (enlarging or reducing the object)

TRANSLATION

- -moz-transform: translate(10px, 10px);
 - -webkit-transform: translate(10px, 10px);
 - -o-transform: translate(10px, 10px);
 - transform: translate(10px, 10px);
-
- -moz-transform: translateY(40px) scale(1.5) rotate(15deg);
 - -webkit-transform: translateY(40px) scale(1.5) rotate(15deg);
 - -o-transform: translateY(40px) scale(1.5) rotate(15deg);
 - transform: translateY(40px) scale(1.5) rotate(15deg);

ROTATION

- `-moz-transform: rotate(45deg);`
- `-webkit-transform: rotate(45deg);`
- `-o-transform: rotate(45deg);`
- `transform: rotate(45deg);`

- `-moz-transform: skew(15deg);`
- `-webkit-transform: skew(15deg);`
- `-o-transform: skew(15deg);`
- `transform: skew(15deg);`

SCALE

- -moz-transform: scale(2);
- -webkit-transform: scale(2);
- -o-transform: scale(2);
- transform: scale(2);

CSS TRANSFORMATION /ANIMATION

- CSS3 transitions are effects that let an element gradually change from one style to another.
- To do this, you must specify two things:
 - Specify the CSS property you want to add an effect to
 - Specify the duration of the effect

TRANSITION/ANIMATION


```
<!DOCTYPE html>
<html>
<head>
<style>
div
{
width:100px;
height:100px;
background:red;
transition:width 2s, height 2s;
-moz-transition:width 2s, height 2s, -moz-transform 2s; /* Firefox 4 */
-webkit-transition:width 2s, height 2s, -webkit-transform 2s; /* Safari and Chrome */
-o-transition:width 2s, height 2s, -o-transform 2s; /* Opera */
}

div:hover
{
width:200px;
height:200px;
transform:rotate(180deg);
-moz-transform:rotate(180deg); /* Firefox 4 */
-webkit-transform:rotate(180deg); /* Safari and Chrome */
-o-transform:rotate(180deg); /* Opera */
}
</style>
</head>
<body>

<p><b>Note:</b> This example does not work in Internet Explorer.</p>

<div>Hover over me to see the transition effect!</div>

</body>
</html>
```



http://www.w3schools.com/css3/tryit.asp?filename=trycss3_transition2